

Pure & Easy





ASSEMBLY INSTRUCTIONS





NOTICE

IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY
WICHTIG, FÜR SPÄTERE NACHSCHLAGE AUFBEWAHREN: SORGFÄLTIG LESEN
IMPORTANTE, GUARDAR PARA REFERENCIA FUTURA: LEER ATENTAMENTE
IMPORTANTE, CONSERVARE PER RIFERIMENTI FUTURI: LEGGERE ATTENTAMENTE
IMPORTANT, À CONSERVER POUR RÉFÉRENCE FUTURE : LIRE ATTENTIVEMENT




Assemble on a flat, clean and soft surface.
Auf einer flachen, sauberen und weichen Oberfläche zusammenbauen.
Assembler sur une surface plate, propre et douce.
Assemblare su una superficie piatta, pulita e morbida.
Ensamblar sobre una superficie plana, limpia y suave.



Professional installation is highly recommended.
Eine professionelle Installation wird dringend empfohlen.
Une installation professionnelle est fortement recommandée.
Si raccomanda vivamente l'installazione professionale.
Se recomienda altamente la instalación profesional.




Periodically Check That All Components Are Tightly Secured.
Überprüfen Sie Regelmäßig, Dass Alle Komponenten Fest Gesichert Sind.
Vérifiez Périodiquement Que Tous Les Composants Sont Bien Fixés.
Controllare Periodicamente Che Tutti I Componenti Siano Ben Fissati.
Verifique Periódicamente Que Todos Los Componentes Estén Bien Asegurados.



Controls and Features Identification

Read this owner's manual before operating the equipment. Familiarize yourself with the location and function of the controls and features. Save this manual for future reference.



- 1) **Removable Tailgate** – Push up to remove for loading and unloading.
- 2) **Utility Cart Box** – Do not exceed rated load capacity 500lb (225kg).
- 3) **Tyres / Wheel** – Do not exceed the recommended rate.
- 4) **Hitch** – Pin-type design use only with approve vehicles.
- 5) **Release Pedal** – Release the cart bed.

CAUTION

Read and follow all instructions for assembly and operation. Failure to properly assemble this equipment could result in serious injury to the user or bystanders, or cause equipment damage.


ABOUT YOUR UTILITY STEEL CART

Take all parts out of the shipping crate and inspect components to ensure there are no missing pieces before starting to assemble the utility steel cart follow steps 1 through 10.


TOOLS REQUIRED

- Pliers
- Screw Driver
- 10mm & 13mm Wrench


Component Parts




Left Bottom Panel
1pc




Right Bottom Panel
1pc




Right Side Panel
1pc




Left Side Panel
1pc




Front Panel
1pc



Rear Panel
1pc




Wheel Axle Support
2pcs




Hitch Tongue
1pc



Wheel
2pcs




Tongue Support
1pc



Wheel Axle
1pc

Component Parts



Hinge Pin
8pcs



R pin $\varnothing 3$
2pcs



Flat Washer $\varnothing 20$
4pcs



Screw M8x16
24pcs



Flat Washer $\varnothing 8$
24pcs




Nylon Lock Nut M8
24pcs

NOTE: You may have extra nuts & bolts when finished.

Assembly Instructions


STEP 1: Attach Bottom Panels and Support Tubes

1. Put the left bottom panel and right bottom panel together.
2. Attach the panel using eight sets of M8x16 Screws and M8 nylon lock nuts.




STEP 2: Attach Tongue Support

1. Attach the tongue support to the bottom panels using four sets M8x16 screws and M8 nylon lock nuts.




STEP 3: Attach the Wheel Axle Support

1. Put together the two wheel axle supports and attached them to the bottom panels using eight sets of the M8x16 Screws and M8 nylon lock nuts. Loosely tighten the nuts.




STEP4: Attach Wheel Axle

1. Center the hitch tongue assembly in the wheel axle support.
2. Insert the axle through the hole and slide it through both the axle support and the hitch tongue assembly.
3. Tighten all hardware in steps 3.




STEP 5: Attach the Wheels

1. Put an Ø20 flat washer on the axle; slide the wheel over the end, followed by the second Ø20 flat washers and secure with Ø3 R-pin.
2. Repeat the process for the other side of the axle.




STEP 6: Attach Side Panel

1. Attach the left and right sides panel assemblies to the bottom panel using the four hinge pins.



STEP 7: Attach the Front Panel


1. Attach the front panel to the bottom panel and secure using the using the two hinge pins.
2. Lock the left and right sides panel assemblies in place using the Lock Handle.



STEP 8: Attach the Rear Panel

1. Slide the rear panel through the slots on the back side panels.

NOTE: The rear and front panel pins must go through the holes on the side panels to lock the panel in place.



Operation Instructions

WARNING

Before using the utility steel cart, review the instructions below and safety information. Failure to follow these instructions may result in property damage or injury to the operator or bystanders.

ABOUT YOUR UTILITY STEEL CART

1. **DO NOT** exceed rated capacity of 500lb (225kg).
2. **ALWAYS** secure and lock the utility cart to the vehicle hitch before operating.
3. **ONLY** use approved vehicles when towing the steel cart (Lawn/Garden Tractors and ATVs)
4. **NEVER** tow the utility steel cart with box raised.
5. **DO NOT** over fill the utility steel cart. Over flow loads can cause the cart and towing vehicle to lose traction and skid out of control.
6. **ONLY** fill the steel cart to a comfortable load and dump to tip. Extremely heavy loads will be difficult to operate and dump.
7. **ALWAYS** use the steel cart for its intended purpose.
8. **ALWAYS** make sure that the tow vehicle and the combined weight of the operator **MUST BE** greater than the load of the cart weight for proper control.
9. **DO NOT** use cart on public highways or roads.
10. **NEVER** exceed 10mph when towing the steel cart.
11. **DO NOT** make sharp turns that may cause the Lawn/Garden Tractor or ATV tyres to rub against the utility steel cart.
12. **ALWAYS** slow down before turning.
13. **ALWAYS** use caution when backing the utility cart. To avoid the cart from “jack-knifing” always back up in a straight line.

HELP CENTER



Inquiry



Assembly issue



Missing parts

If you encounter any difficulties during assembly, please contact us.

Wenn Sie während der Montage auf Schwierigkeiten stoßen, kontaktieren Sie uns bitte.

Si vous rencontrez des difficultés lors du montage, veuillez nous contacter.

Se incontri difficoltà durante il montaggio, ti preghiamo di contattarci.

Si encuentras alguna dificultad durante el ensamblaje, por favor contáctanos.

DISCLAIMER

Manufacturer and seller expressly disclaim any and all liability for personal injury, property damage or loss, whether direct, indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, unapproved modification, or neglect of this product.

Der Hersteller und Verkäufer lehnen ausdrücklich jegliche Haftung für Personenschäden, Sachschäden oder Verluste ab, egal ob direkt, indirekt oder zufällig, die durch falsche Anbringung, unsachgemäßen Gebrauch, unzureichende Wartung, nicht genehmigte Änderungen oder Vernachlässigung dieses Produkts entstehen.

El fabricante y vendedor renuncian expresamente a toda responsabilidad por lesiones personales, daños materiales o pérdidas, ya sean directos, indirectos o incidentales, derivados de la incorrecta colocación, uso inadecuado, mantenimiento insuficiente, modificación no aprobada o negligencia de este producto.

Il produttore e il venditore declinano espressamente ogni responsabilità per lesioni personali, danni materiali o perdite, dirette, indirette o incidentali, derivanti dall'errato fissaggio, uso improprio, manutenzione inadeguata, modifica non autorizzata o negligenza di questo prodotto.

Le fabricant et le vendeur déclinent expressément toute responsabilité en cas de blessures corporelles, de dommages matériels ou de pertes, qu'ils soient directs, indirects ou accessoires, résultant de la fixation incorrecte, de l'utilisation inappropriée, de l'entretien insuffisant, de la modification non approuvée ou de la négligence de ce produit.