Tools Required 10mm 13mm Socket 10mm Wrench Ratchet Torque Wrench Front

Before Installation:

Read this instruction carefully before starting installation.

Proper tools will improve the quality of installation and reduce the time required.

If missing parts or any damage found, please take a picture and contact us. Professional installation would be highly recommended.

Periodic check to ensure all mounting hardware remains secure and tight.

Step 1:

1. Remove factory rock rails if equipped. Three mounting positions each side.


-1-

2. Remove (6) M6 hex nuts on rocker panel and (3) M8 hex bolts on body frame.

Note: The step bar and factory rock rail cannot coexist.


Step 2:

- 1. With assistance, lift and attach the step bar to the rocker panel.
- 2. Align the holes on step bar with mounting holes on rocker panel.



Step 3:


1. Secure the step bar on rocker panel with (6) M6 \times 25 hex bolts, (12) M6 flat washers, (6) M6 hex nuts.



-2-


Step 4:

1. Secure the step bar on body frame with (3) M8 \times 25 hex bolts, (3) M8 flat washers.




Step 5:

- 1. Tighten M8 hex bolts with 15 ft. lbs. torque.
- 2. Tighten M6 hex bolts and nuts with 7 ft. lbs. torque.
- 3. After the step bar installed, periodic check to ensure all mounting hardware remains secure and tight.



Part List:

	Qty.	Description
1	×6	M8×25 Hexagon Bolt
2	×12	M6×25 Hexagon Bolt
3	×6	M8 Flat Washer
4	×24	M6 Flat Washer
(5)	×12	M6 Flange Nut



-3-